

**Prüfbericht 366-0302-17-WIRD
zur Erteilung der ECE (E1) 124R- 001322**

ANLAGE: 9.1

Hersteller: DEDICO TYRE CO., LTD NO. 30-5-5-1

Radtyp: DEDICO DDC28489

Stand: 27.07.2017



Seite: 1 von 4

Manufacturer : SEAT, SKODA, VOLKSWAGEN

Wheel dates:

Wheel size according to standard : 5 J X 14

Off set(mm) : 35

Hole circle (mm)/number of holes : 100/5

centering type : centering fixed

Technical dates, short form

version	Version name		Centering hole (mm)	Centering material	Permissible wheel Load (kg)	Permissible rolling Circumference (mm)	Valid from Production date
	Wheel identification	Centering identification					
DEDICO DDC28489	DEDICO DDC28489	Without	57		480	1840	04/15
MAMST3-5014	MAMST3-5014	Without	57		480	1840	04/15
WLM28489	WLM28489	Without	57		480	1840	04/15
XM 28489	XM 28489	Without	57		480	1840	04/15

Prescribed systems in the vehicle must be functioning with the use of the described rim combination.

Scope/Vehicle Manufacturer : SEAT

Mounting parts : spherical collar bolt M14x1,5, diameter 26 mm

Tightening torque for fixing parts : 120 Nm

commercial type: **IBIZA**

Vehicle type	Approval	kW	Tires	Restrictions of tires	Restrictions
6J	e9*2001/116*0067*..	55 - 70	175/70R14		*) ; from e9*2001/116*0067*32; Station wagon; Hatchback; Front wheel drive; 77E; 1); 33)
6J	e9*2001/116*0067*..	44 - 66	175/70R14		*) ; Ibiza ST; not 1, 2-63kW; Station wagon; 77E; 1); 33)
6J	e9*2001/116*0067*..	44 - 77	175/70R14		*) ; 77 kW only to e9*2001/116*04; 1.6TDI 66kW from NG*14; only to e9*2001/116*0067*20; Station wagon; Hatchback; 77E; 1); 33)
		55 - 59	175/70R14 M+S 165/70R14		
6JN	e9*2007/46*0001*..	44 - 63	175/70R14 84 175/70R14-84 M+S		1); 33)
		59	165/70R14 84		
6JN	e9*2007/46*0001*..	44 - 77	175/70R14 84		1); 33)

commercial type: **IBIZA,CORDOBA**

Vehicle type	Approval	kW	Tires	Restrictions of tires	Restrictions
6L	e9*2001/116*0041*..	44 - 63	165/70R14 81		1); 33)

**Prüfbericht 366-0302-17-WIRD
zur Erteilung der ECE (E1) 124R- 001322**

ANLAGE: 9.1

Hersteller: DEDICO TYRE CO., LTD NO. 30-5-5-1

Radtyp: DEDICO DDC28489

Stand: 27.07.2017



Seite: 2 von 4

commercial type: **IBIZA, CORDOBA**

Vehicle type	Approval	kW	Tires	Restrictions of tires	Restrictions
6L	e9*98/14*0041*..	47 -55	165/70R14		1); 33)

commercial type: **TOLEDO**

Vehicle type	Approval	kW	Tires	Restrictions of tires	Restrictions
NH	e11*2007/46*0251*..	51	175/70R14 84		*) ; only basic approval; MPV; Front wheel drive; 1); 33)
NH	e11*2007/46*0251*..	55 -66	175/70R14		*) ; from e11*2007/46*0251*01; Front wheel drive; 1); 33)

Prescribed systems in the vehicle must be functioning with the use of the described rim combination.

Scope/Vehicle Manufacturer : SKODA

Mounting parts : spherical collar bolt M14x1,5, diameter 26 mm

Tightening torque for fixing parts : 120 Nm

commercial type: **FABIA**

Vehicle type	Approval	kW	Tires	Restrictions of tires	Restrictions
6Y	e11*98/14*0123*..	37 -74	165/70R14 81	only Fabia	*) ; 74 kW only to addendum 06; 1); 33)
		40 -59	165/70R14 81	Station wagon	

commercial type: **FABIA PRAKTIK**

Vehicle type	Approval	kW	Tires	Restrictions of tires	Restrictions
6Y	L164	44 -51	165/70R14 81		1); 33)

commercial type: **PRAKTIK**

Vehicle type	Approval	kW	Tires	Restrictions of tires	Restrictions
5J	N083	51 -63	175/70R14		1); 33)

commercial type: **RAPID**

Vehicle type	Approval	kW	Tires	Restrictions of tires	Restrictions
NH	e11*2007/46*0250*..	55 -66	175/70R14		*) ; from e11*2007/46*0250*01; Front wheel drive; 1); 33)

commercial type: **ROOMSTER, FABIA, PRAKTIK**

Vehicle type	Approval	kW	Tires	Restrictions of tires	Restrictions
5J	e11*2001/116*0291*..	44 -63	165/70R14 81		*) ; only Fabia; not 1.6TDI; ; 1); 33)
5J	e11*2001/116*0291*..	44	175/70R14		*) ; only Fabia; from e11*2001/116*0291*43; 1); 33)
		55	175/70R14		
		66	175/70R14		
5J	e11*2001/116*0291*..	47 -51	175/70R14		*) ; Roomster; 1); 33)
		63	175/70R14		

**Prüfbericht 366-0302-17-WIRD
zur Erteilung der ECE (E1) 124R- 001322**

ANLAGE: 9.1

Hersteller: DEDICO TYRE CO., LTD NO. 30-5-5-1

Radtyp: DEDICO DDC28489

Stand: 27.07.2017



Seite: 3 von 4

commercial type: **ROOMSTER, FABIA, PRAKTIK**

Vehicle type	Approval	kW	Tires	Restrictions of tires	Restrictions
5J	e11*2007/46*0013*..	44 -63	165/70R14		*) ; only Fabia; not 1.6TDI; up to e11*2007/46*0013*19; 1); 33)
5J	e11*2007/46*0013*..	51	175/70R14		*) ; Praktik; 1); 33)
		63	175/70R14		
5J	e11*2007/46*0013*..	44	175/70R14		*) ; only Fabia; not 1.6TDI; from e11*2007/46*0013*20; 1); 33)
		55	175/70R14		
		66	175/70R14		

Prescribed systems in the vehicle must be functioning with the use of the described rim combination.

Scope/Vehicle Manufacturer : VOLKSWAGEN

Mounting parts : spherical collar bolt M14x1,5, diameter 26 mm

Tightening torque for fixing parts : 120 Nm

commercial type: **FOX**

Vehicle type	Approval	kW	Tires	Restrictions of tires	Restrictions
5Z	e1*2001/116*0301*..	51 -55	175/70R14 84		*) ; Cross; 1); 33)
5Z	e1*2001/116*0301*..	40 -55	165/70R14 81		*) ; ; ; 1); 33)

commercial type: **POLO**

Vehicle type	Approval	kW	Tires	Restrictions of tires	Restrictions
6R	e1*2001/116*0510*..	44 -77	175/70R14		*) ; from N*10 till 66kW(Facelift); 1); 33)
6R	e1*2007/46*0486*..	44 -66	175/70R14 84		*) ; from N*10 till 66kW(Facelift); 1); 33)
		77	175/70R14 84	not diesel engine	

commercial type: **VW POLO**

Vehicle type	Approval	kW	Tires	Restrictions of tires	Restrictions
9N	e1*2001/116*0174*..	40 -63	165/70R14 81		1); 33)
9N	e1*2001/116*0174*..	40 -63	165/70R14 81		1); 33)
9N	e1*98/14*0174*..	40 -63	165/70R14		1); 33)

*) The remarks under the listed restrictions/conditions are to be kept. If additional trademarks or sale- names are listed, so there are only this vehicles permissible. All other vehicles to this one application are not concerned.

Restrictions

77E) The indirect Tire Pressure Monitoring system must be calibrated. The instructions of the manual must be followed.

- 1) To be kept:
- the standard wheel size and offset.
 - tyre size with service description (load and speed index) and tyre brand commitments
 - as well as limitations to snow tyres (M+S) from the car documents.
 - requirements and limitations of snow chains from the operating licence and the operation manual.

**Prüfbericht 366-0302-17-WIRD
zur Erteilung der ECE (E1) 124R- 001322**

ANLAGE: 9.1

Hersteller: DEDICO TYRE CO., LTD NO. 30-5-5-1

Radtyp: DEDICO DDC28489

Stand: 27.07.2017



Seite: 4 von 4

- 33) The standard fixing parts and accessories of the vehicle manufacturer for the corresponding series-wheel must be used.

R124 001322